




NYNHANGER

WOODEN HANGER

ACCESSORIES

CATALOGUE

We Carry Your
STYLE



nynhanger.com



Who We Are?

NYN Hanger, which actives in the textile sector with the manufacture of wooden hangers and hanger equipment, is the leader in the Turkish market and the largest wooden hanger manufacturer in Europe with its closed area of 7000m2 and approximately 100 employees. With the importance given to customer satisfaction; It maintains this leading position by continuously improving its products, human resources, processes and environmental quality.

*Today, NYN has certified its quality with the ISO 9001:2008(57219) certificate and has been designated as a "strategic business partner" by all of its customers. Besides Turkey; Germany, France and Italy
It has established sales channels in many European countries.*

Vision

*To protect and develop the pride of being the biggest wooden hanger company in Europe at this point, by combining both our product quality and service quality with our wide and innovative product range in the wooden hanger sector in the world.
In addition to all these efforts, it is our priority to provide the best service and provide the most appropriate service, taking into account the interests of our customers.*

Mission

To be able to produce the wooden hanger, which is the biggest product of the textile market in the exhibition, with all its details, and to gain the satisfaction of our customers without compromising on quality and service. When we saw that the textile industry is very open to innovations and adapts easily, we focused on our first target, special designers, and started the production of special exhibition hangers for their collections. In this way, we proved over time that other companies can have their own hangers, and we have provided a new perspective to the market and contributed to our growth.

We Carry Your
STYLE





CONTENTS

NYN HANGER ACCESSORY

Who Are We? - Vision-Mission

- Wood
- Color
- Anti-Slip
- Notche
- Bar
- Hook
- Clip
- Nail
- Galvanized Colour
- Frame Hanger
- Logo



VERDA





WOOD



WOOD



RAW



VARNISH

BEECH (*Standart Wood*)



RAW



VARNISH

ALDER



RAW



VARNISH

PINE



RAW



VARNISH

OAK



RAW



VARNISH

CHESTNUT



RAW



VARNISH

ASHTREE



RAW



VARNISH

AYOUS



RAW



VARNISH

IROKO



RAW



VARNISH

WALNUT



RAW



VARNISH

SAPELLI



RAW



VARNISH

BIRCH

* For lamineted hanger producing only Birch and beech wood.

WOOD

BEECH

VARNISH

RAW

RAW

CHESTNUT

VARNISH

RAW

RAW

RAW

ALDER

VARNISH

RAW

WOOD

OAK



VARNISH

RAW



RAW

WALNUT



VARNISH

RAW



RAW

SAPELLI



VARNISH

RAW



RAW

AYOUS

WOOD

VARNISH

RAW

RAW

IROKO

VARNISH

RAW

ASHTREE

VARNISH

RAW

RAW






COLOUR



COLOUR

WHITE WASH

(White wash colour on different textures of tree)



AYOUS



PINE



BEECH



BIRCH



ASH



OAK

TRANSPARENT COLOURS

(Colors that show the texture of the tree. Applicable for all colours.)



YELLOW



GREEN



RED



NAVY BLUE



ORANGE



PURPLE

NATURAL COLOURS

(Preparing color direct application to tree)



WENGE



MAUN



ROSE



DAR OAK



LIGHT OAK



WALLNUT



ANTIC WALLNUT



CHESTNUT



DARK TOBACCO



CHERRY



HAZELNUT



LIGHT PEAR



COLOUR

METALLIC COLOUR

(Please contact with authorized person for your special demands.)



COPPER



PINK



GOLD



GREEN




GREY



SMOKED

PEARL COLOURS

(Pearl process can be made for all colors and color tones can change.)



WHITE



MATTE NATURE




PINK



BLUE

DEFORMED AYOUS

Ayous is suggested for deformed process.



OLD COLOURS

("Old process" can be made for all colors.)



WHITE



BLACK



GREY

SANDBLASTING

Pine is suggested for sandblasting process.



SANDBLASTING AND DEFORMED AYOUS



WHITE-BLACK SANDBLASTING



DEFORMED AYOUS



SILVERY SOFTOUCH




It canb applied on softouch process.



COLOUR

COATED COLOR

The following colors are used frequently. You can choose all colors wanted from Ral and Pantone catalogue. Only classic RAL codes can be used for metal colors.

						
RAL 1011	RAL 1013	RAL 1015	RAL 1016	RAL 1018	RAL 1024	RAL 1034
						
RAL 2001	RAL 2012	RAL 3000	RAL 3015	RAL 3020	RAL 4006	RAL 4009
						
RAL 5001	RAL 5002	RAL 5004	RAL 5012	RAL 5013	RAL 5022	RAL 5024
						
RAL 5025	RAL 6009	RAL 6011	RAL 6018	RAL 6028	RAL 6034	RAL 7001
						
RAL 7004	RAL 7006	RAL 7016	RAL 7033	RAL 7035	RAL 9010	RAL 9017



COLOUR

COATED COLOR

The following colors are used frequently.You can choose all colors wanted from RAL and PANTONE catalogue.
Only classic RAL codes can be used for metal colors.



RAL 3020 RAL 2012 RAL 6011 RAL 5012 RAL 1018




Hand Made Immersion Technique


Different application techniques of the same color. Techniques 1 has a standart appedrance.Technique 2 more darker and has a regional dark-nesses.

SHADES OF BLACK

(Brightness and appearance vary the same way in all colours.)



SHINY LACQUER



MATTE LACQUER



MATTE BLACK



AMERICAN BLACK



TRANSPARENT BLACK



SOFTTOUCH BLACK



90 Gloss



5 Gloss



10 Gloss



25 Gloss
(Visible wood effect)



10 Gloss
(Visible wood surface)



0 Gloss





ANTI-SLIP

ANTI-SLIP

SPLICE RUBBER



G-04 (130x19mm)

G-03 (100x18mm)



G-02 (90x12mm)



STICKY SILLICON



TRANSPARENT-BLACK



BB-10 (18x83mm)

BB-02(80x9,5mm)

BB-01 (8x50mm)



HOOK PROTECTOR



STICKY SPONGE



BS-01 (120x10mm)

BLACK-WHITE



BS-02 (90x20mm)



TRANSPARENT



SILLICON OVERLAY



VELVET COLOR



RED



WALNUT



BLACK



LIGHT GREY



GREY



OAK



NATURAL



VELVET COLOR



CREAM



VENGE



HAZELNUT



ANTHRACITE GREY





notch





NM-01
Flat Notches
Interval 7,5 mm



NM-03
Flat Narrow Notches
Interval 10 mm



NM-20
Small Butterfly Notches
Interval 18 mm


notches



NM-02
Flat Narrow Notches
Interval 4 mm



NM-10
3 Notches
Interval 6.50 mm



NM-22
Large Butterfly Notches
Interval 45 mm



NM-23
Large Butterfly Notches
Interval 40 mm



NM-30
Slash Cut Notches
Interval 30 mm




NM-31
CNC CUTTING
NOTCHES
Interval 18 mm



NL-10
Laminated Flat Notches
Interval 26 mm



NL-01
Laminated Flat Notches
Interval 7.75 mm



NM-21
Medium Butterfly Notches
Interval 18 mm

SHARP

Interval 40 mm

NARROW

Interval 40 mm

FLAT

Interval 40 mm

LONG

Interval 40 mm

STANDART

Interval 40 mm





EDGE




CORNERED



OVAL



ANGLED



END CUT







BAR



BAR

FLAT BARS
(9 mm standart size)



Ø 9mm-10mm-14mm

SERRATED BARS
(9 mm standart size)



Ø 9mm-16mm

Standart Screw Colours



Nickel

Black

Yellow

Antic

Hose is only applied to 9 mm flat bar



Fixing With Nail
(Standart Options)



Fixing With Screw

BAR



With Metal Bar Standart



With Nail Or Screw Standart



Full of Flock

Can't be without nail hole.



Half of Flock



Ø 16mm Open-Ended Bar With Velvet



Ø 16mm Bar With Velvet



Bar With Curved Wire



Movement Bar



Bar with Rubber




Double Bar



BAR




Springy Bar



Groove Bar With Silicone
(Only applicable for square bar)



Square Bar With Anti-Slip Strip



Stable Clips With Name Plate



STANDART VELVET **COLOURS FOR TROUSER BAR**

With Velvet in White Color



With Velvet in Black Color



With Velvet in Natural Color



With Velvet in Walnut Color



With Velvet in Dark Brown Color



With Velvet in Oak Color



With Velvet in Brown Color







HOOK

HOOK



Ball End

Node



HN-300-01
3,00x95 mm
Node And Ball End
Standart



HN-340-01
3,40x95 mm
Node And Ball End
Standart



HB-290-01
2,90x85 mm
Ball End
Standart



HB-300-01
3,00x95 mm
Ball End
Standart



HB-340-01
3,40x95 mm
Ball End
Standart



HB-380-01
3,80x95 mm
Ball End
Standart



HB-440-01
4,40x95 mm
Ball End
Standart



HB-440-02
4,40x110 mm
Ball End



HB-440-03
4,40x105 mm
Ball End



HA-340-01
3,40x90 mm
American
Standart

HOOK



HS-300-01
3.00x75 mm
Standart



HS-400-01
4.00x85 mm



HS-400-02
4.00x102 mm



HS-400-03
4.00x105 mm
Standart



HS-450-01
4.50x100 mm
Standart



HS-450-02
4.50x100 mm



Round-ended
hooks are as in
the photo



HS-450-03
4.50x110 mm



HS-500-01
5.00x100 mm
Standart



HS-500-02
5.00x110 mm



HOOK



HS-500-03
5,00x110 mm



HS-500-04
5,00x105 mm



HS-500-05
5,00x105 mm



HS-600-01
6,00x110 mm



H-3x8-01
3x8 Flat 117 mm



H-3x8-02
3x8 Flat 122 mm



H-5x5-01
5x5 Square 135 mm



HS-800-01
8.00x150 mm

HOOK



HOOK FIXING OPTIONS

SCREW FIX



HOOK NAIL COG
(DEPENDS ON THE REQUEST)

PRESSED FIX



INDEPENDENT COPS OF HOOK
(STANDART PRODUCT)

STAINLESS STEEL



HSS-400-01
4,00x100 mm



HSS-500-02
5,00x100 mm





CLIPS No:02

PORTABLE GOODS



PORTABLE FRAME CLIPS



Inside Hole
7x17 mm

7mm


8mm

2,6mm


BLACK

WHITE

PLASTICK HANGER HOLDER



METAL HANGER HOLDER
(All colours are available.
Size can be adjustable.)



Ø2,5mm

95 mm




30mm



CIRCULAR



SQUARE CUBE CLOAKROOM HANGER



OVAL CUBE CLOAKROOM HANGER



CLIP



CLIPS



NO:01 ECO 23x55x0.30 mm



BLACK TRANSPARENT WHITE



NO:01 21x55x0.60 mm




BLACK TRANSPARENT WHITE





NO:02 20x60x0.50 mm

*Clip models can be produced from **0.60mm** sheet metal.



NO:03 17x49x0.40 mm



CLIP

CLIP



NO:04 17x49x0.40 mm



NO:05 15x31x0.40 mm



Lama Clips Spring

Using clips No:02 includes additional cost



TRANSPARENT BLACK
SNAP RING



RUBBER INSIDE OF CLIPS



TRANSPARENT BLACK





John Paul Ataker
New York



GALVANIZED



GALVANIZED

GALVANIZED COLOURS



NICKEL



SATIN
NICKEL



CHROME



SATIN
CHROME



BLACK
NICKEL



SATIN
BLACK



BRUSHED
NICKEL



RAW WITH
TRANSPARENT LAC



ANTIC
OXIDE



ZINC
OXIDE



ORANGE



GREEN
ANTIC OXIDE



BRUSHED
ANTIC OXIDE



SHINY
GOLD



MATTE
GOLD



MATTE
YELLOW+LAC



BRUSHED
YELLOW
OXIDE+LAC



BRUSHED
YELLOW+LAC



COPPER



SATIN COPPER
LAC



BRUSHED
ANTIC COPPER



NICKEL ON
COPPER



COPPER
OXIDE



BRONZ



SATIN BRONZ
LAC



LIGHT
BRONZE 2



ROSE GOLD



SATIN ROSE
LAC



NAIL

Min. 15mm

65mm

NAIL



3.2x100 3.2x90 3.2x80



MASSIVE




LAMINATED





3.85x75 3.2x70 3.3x55



NAIL




Metal Wires



* Suggestions of montage intervals



SKIRT HOOK NO:02
9.5x30 mm



SKIRT ATTACHED NO:01
8.3x60 mm




SKIRT ATTACHED NO:04
50x9x1,5 mm



SKIRT HOOK NO:03






FRAME HANGER




FRAME HANGER



FRAME HANGER





NON-SLIP OPTIONS



9611
3.5x380x160

9610
3.5x260x160




FRAME HANGER




9608



It can be made in all sizes.




9606



3x240x220 mm



9603
3x370x620 mm



9604
3x365x630 mm



9609
3.5x345x320 mm




9607
3x355x510 mm




FRAME HANGER

9602
3.5x375x670 mm



9600
4x355x600 mm







LOGO



LOGO / LASER PRINTING



LASER + INSIDE PRINTING

BEFORE PAINTING LASER



AFTER PAINTING LASER



LOGO / TAMPON PRINTING



ONE COLOR TAMPON PRINTING



TWO COLORS TAMPON PRINTING




THREE COLORS TAMPON PRINTING

LOGO / METAL-WOOD PLATE-CNC SCRAPING



METAL PLATE

CNC SCRAPING



WOOD PLATE+METAL STICKER



CNC SCRAPING

LOGO / METAL STICKER



METAL STICKER GOLD



METAL STICKER CHOROME



METAL STICKER BLACK NICKEL



LOGO / LASER METAL PLATE



GOLD METAL PLATE
(30x50mm)



CHROME METAL PLATE
(30x80mm)



CHROME METAL PLATE
(17x60mm)



GOLD METAL PLATE
(25x60mm)



BLACK NICKEL METAL PLATE
(30x50mm)

LOGO / METAL PLATE



BLACK NIKEL
METAL PLATE



GOLD
METAL PLATE



CHROME
METAL PLATE



IMPERTEKS / Suit Covers Travel Bags


Raw material of the impertex is polyester and the yarn of fabric knits tightly. Inside of fabric can be preferred laminated or unlaminated.



COTTON / Suit Covers


It manufacturer from one hundred percent cotton fabric, this type of bag which is environment friendly uses for a long time





Nonewoven /Suit Covers

Made from polypropylene or Polyester raw materials, combined with non-woven textile fiber needling method. : NON-WOVEN fabric "or" mostly "miracle is referred to as the third dimension of the textile". Non-Woven fabric, woven or knitted fabric is very different. Because of the formation of the surface, heating tulle (Thermal link) or Chemical Binder is with. There is no warp and weft in geotextile unbraided. Has a homogeneous structure.



We Carry Your
STYLE

nynhanger.com



NYN ASKI VE AHSAP SANAYI LTD. STI.

Ikitelli OSB Mahallesi Marmara Sanayi Sitesi Otopark Sokak No:02/10 34307
Kucukcekmece / ISTANBUL Phone: +90 212 472 07 81 Fax: Faks+90 212 472 07 29
E-mail: info@nyn.com.tr